



PRODUCT CATALOGUE

RV PRODUCTS

A Leading Provider of High-End Smart Manufacturing Services

恒宏智能装备有限公司产品手册



CORE ADVANTAGES

核心优势

Henghong offers the industry's most comprehensive portfolio of automated RV solutions, including electric jack, leveling systems, electric beds, and step systems. The company offers more than 50 custom models and maintains a global network of over 40 key suppliers.

恒宏提供业内最全面的自动化房车解决方案产品组合，涵盖智能升降装置、调平系统、电动床以及踏步装置。公司拥有逾50种定制型号，并拥有由40余家核心供应商组成的全球网络。



01. R&D CENTER:

研发中心

20+ Expert Researchers dedicated to innovation.
20多名致力于创新的专家研究人员。



02. QUALITY ASSURANCE:

质量保证

10+ Rigorous testing and inspection stages.
10+严格的测试和检验阶段。



03. SMART MANUFACTURING:

智能制造

Upgraded intelligent equipment and advanced automation.
升级的智能设备和先进的自动化。



SMART MANUFACTURING SOLUTIONS

智能制造解决方案

Integrated intelligent equipment for efficient, precise and reliable production.

集成式智能设备，助力高效、精准、可靠的生产。



R&D INNOVATION
研发创新



INTELLIGENT PRODUCTION
智能生产



PRECISION QUALITY CONTROL
精密质量控制



CNC Machining Center
CNC加工中心



Ultrasonic Cleaning Machine
超声波清洗机



Punch Press
冲床



Shaft Machining Center
连接轴加工中心



Robotic Welding for
Inner and Outer Tubes
内外管机器人焊接焊接



Painting
Production Line
喷漆流水线



Lead Screw
Machining Center
丝杆加工中心



Enclosure
Machining Center
箱体加工中心



Powder Coating
Production Line
粉末涂层生产线



50+
CUSTOMIZED MODELS
50+定制化模型



40+
CORE SUPPLIERS
40+核心供应商



**STRICT QUALITY
MANAGEMENT**
严格质量管理



**GLOBAL SERVICE
SUPPORT**
全球服务支持

R&D CENTER & QUALITY ASSURANCE

研发中心与质量保证

Our state-of-the-art R&D center is equipped with advanced testing systems and a team of experts to ensure that every product meets the highest standards of quality, reliability, and safety.

我们先进的研发中心配备了先进的测试系统和专业团队，以确保每件产品都符合最高标准的质量、可靠性和安全性。



1

 UV Testing
紫外线测试

Ensures material durability and resistance to UV exposure for long-term outdoor performance.

确保材料耐久性 & 抗紫外线暴露，以实现长期户外性能。



2

 Test Equipment
测试设备

Advanced instruments and systems for accurate data collection and reliable analysis.

用于精确数据采集和可靠分析的先进仪器与系统。



3

 Finished Product Testing
成品测试

Comprehensive functional and performance testing ensures product reliability before delivery.

全面的性能与功能测试确保产品交付前的可靠性。



4

 Finished Product Current Testing
成品电流测试

Comprehensive functional and performance testing ensures product reliability before delivery.

全面的性能与功能测试确保产品交付前的可靠性。




5

 Load Testing
负载测试

Simulates real-world loads and stress to validate structural strength and durability.

模拟现实世界负载和应力，以验证结构强度和耐久性。




6

 PCB Load Testing
线路板负载检测

Evaluates PCB performance under load conditions to ensure stability and long-term reliability.

评估PCB在负载条件下的性能，以确保稳定性和长期可靠性。



7

 Circuit Control Testing
线路控制检测

Validates circuit functions and control logic for consistent and efficient system performance.

验证电路功能和控制逻辑，以确保系统性能的一致性和高效性。



8

 Salt Spray Testing
盐雾测试

Assesses corrosion resistance to ensure product reliability in harsh environments.

评估耐腐蚀性，确保产品在恶劣环境中具有可靠性。

GLOBAL VISION

全球愿景

Connecting the world, creating value together.
连接世界，共同创造价值。



DISTRIBUTED WORLDWIDE
分布全球



STRONG PARTNERSHIPS
建立信任并与全球合作伙伴共同成长。



SHARED SUCCESS
提供创新解决方案，推动双方共同成长。



Brazil Trade Show



Canton Fair



Mexico Trade Show



Automechanika Shanghai



Automechanika Shanghai



Russia Trade Show

HONORS & RECOGNITION

荣誉与认可

Recognized for excellence,
driven by innovation.
因卓越而被认可，由创新驱动。




QUALITY ASSURANCE
质量保证




INNOVATION LEADERSHIP
专利技术推动行业进步



TRUSTED PARTNER
值得信赖的合作伙伴



房车配件 RV ACCESSORIES



房车用减震器
RV shock absorber

更平稳的行驶。减震器的充油设计有助于吸收道路冲击和振动，从而带来更舒适的牵引体验。

- Smoother ride.
The shock's oil-filled design helps absorb road shock and vibration, resulting in a more comfortable towing experience

表面黑色喷漆处理。耐久测试100万次不漏油,无异响, 功能正常, 力值衰减符合要求

- Black paint spraying. Durability test finish 1 million times with no oil leakage, no noise, normal function and force attenuation need to meet the requirements.

轮胎架

Tire Carriers

货托 Cargo Caddy



固定轮胎架
Universal Folding



活动轮胎架
Universal Rigid



水管收线机
Easy Reel Spooler

- 电动操作
Motorized operation
- 最多可储存30-50安培线束
Store up to 30-50amp cord
- 可选配天花板安装方式，以最大化收纳空间
Ceiling mount option to maximize storage

铝制晾衣架

Cloth Line



- 48英寸铝支架
48" long aluminum uprights
- 可安装距离7英尺
Can be mounted up to 7' apart
- 坚固耐用
Strong and durable
- 旅行途中轻松取下
Can be removed for travel without tools



电动踏板 Electric Step


- **黑色铝制踏板带LED照明灯**
Black aluminum step with LED light
- **静载440lbs**
Static load capacity: 440 lbs
- **伸展高度7.5英寸**
Extended height: 7.5 inches
- **电压DC12V**
DC12 volt operation
- **电动开关或门磁开关操作**
Operated by an electric switch or door magnet switch
- **一级踏板或二级踏板**
Single step or double step

- **踏板尺寸:24*16英寸**
Platform size is 24"*16"
- **收缩高度及伸展高度: 3.75' 或 8"**
Multi heights 3.75' or 8"
- **全钢结构**
All steel construction
- **防滑台面**
Non-skid tap surface
- **无论在软质还是硬质地面上使用效果都很好**
Great on soft or hard surface



踏板 Steel Platform Step

外梯 RV Ladder



- **3部分组成**
3parts
- **铝制材料**
Aluminium
- **承重250磅**
Weight capacity: 250 pounds

床梯 Bunk Ladder



- **60或者66英寸**
Type:60" or 66"

自行车架 Ladder Bike Rack



自动调平系统 LEVELING SYSTEM



2T或3T自动折弯调平系统
2T or 3T Folded Leveling system

- **承重: 4T-6T**
Load capacity: 4-6 tons
- **遥控操作**
Remote control operation
- **可自动或手动操作**
Automatic or manual operation
- **DC12V/24**
DC12V/24V
- **行程: 90/120/150/180mm**
Stroke: 90/120/150/180mm
- **控制箱+4个折弯支腿**
4pcs legs + control box



4T及重型直升调平系统
4T or Heavy Loaded Leveling System

- **承重: 8T-20T**
Load capacity: 8-20 tons
- **遥控操作**
Remote control operation
- **可自动或手动操作**
Automatic or manual operation
- **DC12V/24**
DC24V
- **行程: 400mm**
Stroke: 400mm
- **控制箱+4个直升支腿**
4pcs legs + control box

电动千斤顶 ELECTRIC JACK

HH-3500B2



HH-3500



HH-5000



HH-2500



- **2500磅, 3500磅, 5000磅电动千斤顶**
2500lbs, 3500lbs or 5000lbs electric jack
- **适用于21/4英寸安装孔位**
Fits 21/4" mounting holes
- **全行程18英寸**
Full 18" stroke
- **电压12V**
12volt operations
- **表面黑色喷塑处理**
Durable powder coat finish
- **带LED灯, 方便夜间照明**
LED light, easy night time hookups

背驮式房车千斤顶 CAMPER JACKS



背驮式房车千斤顶
Electric Camper Jacks

- 四个电动千斤顶十一个电动控制箱
Four jacks a set with a controller
- 千斤顶收缩高度是1200mm
The retracted vertical length is 1200mm
- 千斤顶伸展高度是2000mm
The extend vertical length is 2000mm
- 行程800mm
The vertical stroke is 800mm
- 千斤顶安装位置离地面高度是750mm
The jack is mounted 750 mm above the ground
- 带可拆卸底脚
Equipped with removable feet
- 配手摇柄
Comes with a hand crank
- 可遥控操作
Remote-controlled operation



背驮式手动千斤顶
Manual Camper Jacks

辅助支撑千斤顶 STABILIZER JACKS



C型房车辅助支撑千斤顶
C Type Motorized Stabilizer Jack

- 最大提升重量:650磅
Lifting capacity: 650 lbs
- 行程24"
24" travel
- 表面黑色喷塑处理
Special spray-tested powder coating
- 电压DC12V
DC12V power
- 双电机控制
Dual motor for power

剪式千斤顶 Scissor Jack



- **24英寸剪式千斤顶**
24-inch Scissor Jack
- **提升重量5000磅**
Lifting Capacity: 5,000 lbs
- **可调节高度5-24英寸**
Adjustable Height: 5–24 inches
- **表面黑色喷塑处理**
Black powder-coated finish



- **30英寸剪式千斤顶**
30-inch Scissor Jack
- **提升重量5000磅**
Lifting Capacity: 5,000 lbs
- **可调节高度5-30英寸**
Adjustable Height: 5–30 inches
- **表面黑色喷塑处理**
Black powder-coated finish

第五轮房车用千斤顶 Fifth Wheel Jacks



- **重型辅助支撑系统,适用于五轮房车**
Heavy-duty auxiliary support system, suitable for fifth-wheel RVs
- **动载承重5000磅**
Dynamic load capacity: 5,000 pounds
- **每个支腿可承重2500磅**
Each leg can support 2,500 pounds
- **D行程29.5英寸, 内管可以伸展15英寸**
Stroke: 29.5 inches; inner tube extends 15 inches

辅助支撑系统 Landing Gear

手动千斤顶 MANUAL JACKS



侧摇/顶摇手动千斤顶 Sidewind/Topwind Trailer Jack

- **承重2000磅**
Capacity 2000lbs
- **方形底脚**
Square footpad
- **表面黑色喷塑处理**
Black powder coating
- **黑色手摇柄, 方便操作**
Black manual crank for easy operation
- **行程13-4/5英寸, 14-4/5英寸**
Stroke: 13-4/5", 14-4/5"



手动千斤顶 Manual Trailer Jack

- 承重能力 5000磅
Capacity 5000lbs
- 安装在拖车车架侧面
Mounts to side of trailer frame
- 带收纳销的管式安装支架系统
Pipe mount bracket system with stow pin
- 锌镍电镀
Zinc nickelplating
- 安装需预留8英寸的净空高度
Needs 8" of clearance to install
- 收缩高度23英寸，伸展高度37英寸
Collapsed height: 23 inches; extended height: 37 inches
- 外管直径57毫米，内管直径51毫米
Outer tube diameter: 57 mm; inner tube diameter: 51 mm

- 良好的稳定性
Great stability
- 有效防止磨损及避免导轨滑出轨道的维修成本
Help prevent wear and tear and costly slide out frame repairs
- 可调高度20.5-35.5英寸
Adjusts from 20.5" to 35.5"
- 最大静载5000磅
5000lbs Maximum static weight
- 2个千斤顶一套
2 stabilizer jacks per set



导轨机构支撑千斤顶
Slide Out Support Jack



顶摇/侧摇手动千斤顶
Topwind/Sidewind Trailer Jack

- 静载1270KG，动载900KG
Static capacity 2800lbs and lifting capacity is 2000lbs
- 表面镀锌处理，盐雾100小时
Zinc-plated treatment and salt spray test 100hours
- 行程10英寸
Stroke 10"

电动床 BED LIFT

- 电压 DC12V；功率 80W
Voltage DC12V；Power 80W
- 静载 300KG；提升重量 70KG
Static capacity 300KG；Lifting capacity 70KG
- 负载运行速度 33mm/s
Lifting or lowering speed 33mm/s
- 行程 1100mm，也可定制
Stroke 1100mm or can be customized
- 铝材轻量化设计；铝材厚度80mm
luminum material for light weight；Frame thickness 80mm

